

Scan results for saintjeandechevelu.fr/conseils-municipaux

Semi-compliant

Some important elements of your website are not accessible. In order to be inclusive and compliant, some issues need to be fixed.

Fri Nov 29, 2024



It's seems like your website isn't inclusive or accessible to people with disabilities. **Let's change that!**

53

We found 53 issues on your page

Issue severity



Issues detected by category

21 Readability

14 Menus

7 Graphics

6 Clickables

5 Forms

0 Titles

0 Orientation


0 Document

0 Carousels

0 Tables

0 General

Detected issues by type



#	Element	Relevant	Successes	Failures	Score
1	Elements that act as buttons but use non-button tags (e.g., span, div, a) should include a role="button" attribute.	Yes	2	3	40

Code snapshots of successful elements

```
1 <button type="submit" class="search-submit" ><svg class="icon icon-search" aria-hidden="true" role="img"> <use href="#icon-search" xlink:href="#icon-search"></use> </svg><span class="screen-reader-text">Recherche</span></button>
```

```
2 <button id="open_sogoacc" aria-label="Press &quot;Alt + A&quot; to open\close the accessibility menu" tabindex="1" accesskey="a" class="bottomleft toggle_sogoacc" ><i style="font-size: 30px" class="fa fa-universal-access"></i></button>
```

Code snapshots of failed elements

```
1 <a class="rsswidget rss-widget-title" href="" >www.service-public.fr</a>
```

```
2 <a href="#" id="cn-accept-cookie" data-cookie-set="accept" class="cn-set-cookie cn-button bootstrap button" >Tout accepter</a>
```

```
3 <a href="#" id="cn-refuse-cookie" data-cookie-set="refuse" class="cn-set-cookie cn-button bootstrap button" >Tout refuser</a>
```

#	Element	Relevant	Successes	Failures	Score
2	Buttons should include text explaining their functionality, and if icons are used as buttons, a screen-reader only text or an "aria-label" attribute should be used for that description.	Yes	5	0	100

Code snapshots of successful elements

```
1 <button type="submit" class="search-submit" ><svg class="icon icon-search" aria-hidden="true" role="img" > <use href="#icon-search" xlink:href="#icon-search" ></use> </svg><span class="screen-reader-text">Recherche</span></button>
```

```
2 <a class="rsswidget rss-widget-title" href="" >www.service-public.fr</a>
```

```
3 <button id="open_sogoacc" aria-label="Press &quot;Alt + A&quot; to open\close the accessibility menu" tabindex="1" accesskey="a" class="bottomleft toggle_sogoacc" ><i style="font-size: 30px" class="fa fa-universal-access"></i></button>
```

```
4 <a href="#" id="cn-accept-cookie" data-cookie-set="accept" class="cn-set-cookie cn-button bootstrap button" >Tout accepter</a>
```

```
5 <a href="#" id="cn-refuse-cookie" data-cookie-set="refuse" class="cn-set-cookie cn-button bootstrap button" >Tout refuser</a>
```

#	Element	Relevant	Successes	Failures	Score
3	Links should include text that sets expectations about the page they lead to. If empty links are used as layout wrapping elements, provide a description using screen-reader only text or an "aria-label" attribute.	Yes	26	0	100

Code snapshots of successful elements

```
1 <a href="https://saintjeandechevelu.fr/" class="custom-logo-link" rel="home"
>SAINT JEAN DE CHEVELU</
a>
```

```
3 <a href="http://saintjeandechevelu.fr" >Accueil</a>
```

```
4 <a href="https://saintjeandechevelu.fr/category/actualites/" >Actualités<svg
class="icon icon-angle-down" aria-hidden="true" role="img"> <use href="#icon
-angle-down" xlink:href="#icon-angle-down"></use> </svg></a>
```

```
5 <a href="http://saintjeandechevelu.fr/category/commune/" >Commune<svg class
="icon icon-angle-down" aria-hidden="true" role="img"> <use href="#icon-angl
e-down" xlink:href="#icon-angle-down"></use> </svg></a>
```

```
6 <a href="http://saintjeandechevelu.fr/category/vie-communale/" >Vie communal
e<svg class="icon icon-angle-down" aria-hidden="true" role="img"> <use href
="#icon-angle-down" xlink:href="#icon-angle-down"></use> </svg></a>
```

```
7 <a href="http://saintjeandechevelu.fr/category/communaute-de-communes-de-yen
ne/" >Communauté de communes de Yenne<svg class="icon icon-angle-down" aria-
hidden="true" role="img"> <use href="#icon-angle-down" xlink:href="#icon-ang
le-down"></use> </svg>...
```

```
8 <a href="http://saintjeandechevelu.fr/category/services/" >Services<svg clas
s="icon icon-angle-down" aria-hidden="true" role="img"> <use href="#icon-ang
le-down" xlink:href="#icon-angle-down"></use> </svg></a>
```

9 `Tourisme<svg class="icon icon-angle-down" aria-hidden="true" role="img"> <use href="#icon-angle-down" xlink:href="#icon-angle-down"></use> </svg>`

10 `Liens utiles`

#	Element	Relevant	Successes	Failures	Score
4	Links that open in a new tab or a new window should either have an "aria-label" attribute or a screen-reader only element explaining to screen-readers that this opens in a new tab.	Yes	2	3	40

Code snapshots of successful elements

```
1 <a class="none" title="Accéder à la totalité de l'article 47 de la loi n° 2005-102 du 11 février 2005[nouvel onglet]" href="https://www.legifrance.gouv.fr/loda/article_lc/LEGIARTI000037388867/" target="_blank" rel="noopener" >article 47 de la loi n° ...
```

```
2 <a target="_blank" rel="noopener" href="https://www.facebook.com/Commune-de-Saint-Jean-de-Chevelu-103187328097070" ><span class="screen-reader-text">Facebook</span><svg class="icon icon-facebook" aria-hidden="true" role="img"> <use href="#icon-facebo...
```

Code snapshots of failed elements

```
1 <a href="mailto:urbanisme@saintjeandechevelu.fr" target="_blank" rel="noopener" >urbanisme@saintjeandechevelu.fr</a>
```

```
2 <a class="espaceAmrf" href="https://campagnol.fr/" target="_blank" ></...>
```

```
3 <a href="http://saintjeandechevelu.fr/mentions-legales" target="_blank" id="cn-more-info" class="cn-more-info cn-button bootstrap button" >En savoir plus</a>
```

#	Element	Relevant	Successes	Failures	Score
5	An H1 heading provides information to screen-reader users about the main topic of the page. Each page should have exactly one H1 heading.	Yes	Pass	-	100

Code snapshots of successful elements

```
1 <h1 class="entry-title">Conseils Municipaux</h1>
```

#	Element	Relevant	Successes	Failures	Score
6	HTML heading elements (h1-h6) should contain text content. If they include images or links, those elements must provide alternative text or screen-reader-only text.	Yes	8	0	100

#	Element	Relevant	Successes	Failures	Score
7	Elements that visually function as headings but are not coded with a heading tag should include a role="heading" attribute or be updated to use the correct heading tag	No	0	0	

#	Element	Relevant	Successes	Failures	Score
8	Heading levels should not be skipped and must follow a consistent hierarchy. For example, you should not use h2 and h4 headings without including an h3 in between.	Yes	Pass	-	100

#	Element	Relevant	Successes	Failures	Score
9	Interactive elements such as links, buttons and form fields should all be navigable using the keyboard by either using a focusable element (a, button, input, etc.) or including the "tabindex" attribute that equals to "0".	Yes	Pass	-	100

#	Element	Relevant	Successes	Failures	Score
10	Interactive elements that can be navigated using the keyboard should be surrounded by a visual outline whenever they are focused.	Yes	Pass	-	100

#	Element	Relevant	Successes	Failures	Score
11	Active popups should include aria-modal="true" and role="dialog" attributes to help screen-reader users navigate them effectively.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
12	Each page should include hidden skip links that allow users (via keyboard or screen reader) to bypass certain blocks and navigate directly to main landmarks like the main content, menu, or footer.	Yes	Pass	-	100

Code snapshots of successful elements

```
1 <a class="skip-link screen-reader-text" href="#content" >Aller au contenu principal</a>
```

#	Element	Relevant	Successes	Failures	Score
13	Elements hidden using CSS (e.g., opacity, height, text-indent, off-canvas) should include an "aria-hidden" attribute set to "true" when hidden and dynamically updated to "false" when they become visible.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
14	Elements hidden using CSS (e.g., opacity, height, text-indent, off-canvas) should have a tabindex attribute set to less than 0 and be dynamically updated to 0 when they become visible.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
15	Menus should be built using the HTML5 "nav" element or include a "role" attribute set to "menu" or "navigation" to indicate a navigation landmark for screen readers.	Yes	3	0	100

Code snapshots of successful elements

```
1 <nav id="site-navigation" class="main-navigation" role="navigation" aria-label="Menu supérieur"> <button class="menu-toggle" aria-controls="top-menu" aria-expanded="false" > <svg class="icon icon-bars" aria-hidden="true" role="img" > <use href="#...
```

```
2 <nav class="social-navigation" role="navigation" aria-label="Menu de liens sociaux de pied de page"> <div class="menu-menu-reseaux-sociaux-container"><ul id="menu-menu-reseaux-sociaux" class="social-links-menu accessibility_menu" ><li id="menu...
```

```
3 <nav id="wpfm-floating-menu-nav" class="wpfm-menu-nav wpfm wpfm-position-right"> <ul class="wpfm-nav wpfm-nav-show-hide" > <li class="wpfm-title-hidden"> <a id="meteo" class="wpfm-menu-link" href="#" ><span...
```

#	Element	Relevant	Successes	Failures	Score
16	Menu items that have a dropdown should include an aria-haspopup="true" attribute.	Yes	0	7	0

Code snapshots of failed elements

1 `Actualités<svg class="icon icon-angle-down" aria-hidden="true" role="img" > <use href="#icon-angle-down" xlink:href="#icon-angle-down" ></use> </svg>`

2 `Commune<svg class="icon icon-angle-down" aria-hidden="true" role="img" > <use href="#icon-angle-down" xlink:href="#icon-angle-down" ></use> </svg>`

3 `Vie communale<svg class="icon icon-angle-down" aria-hidden="true" role="img" > <use href="#icon-angle-down" xlink:href="#icon-angle-down" ></use> </svg>`

4 `Communauté de communes de Yenne<svg class="icon icon-angle-down" aria-hidden="true" role="img" > <use href="#icon-angle-down" xlink:href="#icon-angle-down" ></use> </sv...`

5 `Services<svg class="icon icon-angle-down" aria-hidden="true" role="img" > <use href="#icon-angle-down" xlink:href="#icon-angle-down" ></use> </svg>`

6 `Tourisme<svg class="icon icon-angle-down" aria-hidden="true" role="img" > <use href="#icon-angle-down" xlink:href="#icon-angle-down" ></use> </svg>`

7 `Archives<svg class="icon icon-angle-down" aria-hidden="true" role="img" > <use href="#icon-angle-down" xlink:href="#icon-angle-down" ></use> </svg>`

#	Element	Relevant	Successes	Failures	Score
17	Menu items that have a dropdown should include an "aria-expanded" attribute set to "false" by default, which changes to "true" when the dropdown is opened, and back to "false" when closed.	Yes	0	7	0

Code snapshots of failed elements

```
1 <a href="https://saintjeandechevelu.fr/category/actualites/" >Actualités<svg class="icon icon-angle-down" aria-hidden="true" role="img" > <use href="#icon-angle-down" xlink:href="#icon-angle-down" ></use> </svg></a>
```

```
2 <a href="http://saintjeandechevelu.fr/category/commune/" >Commune<svg class="icon icon-angle-down" aria-hidden="true" role="img" > <use href="#icon-angle-down" xlink:href="#icon-angle-down" ></use> </svg></a>
```

```
3 <a href="http://saintjeandechevelu.fr/category/vie-communale/" >Vie communale<svg class="icon icon-angle-down" aria-hidden="true" role="img" > <use href="#icon-angle-down" xlink:href="#icon-angle-down" ></use> </svg></a>
```

```
4 <a href="http://saintjeandechevelu.fr/category/communaute-de-communes-de-yenne/" >Communauté de communes de Yenne<svg class="icon icon-angle-down" aria-hidden="true" role="img" > <use href="#icon-angle-down" xlink:href="#icon-angle-down" ></use> </sv...
```

```
5 <a href="http://saintjeandechevelu.fr/category/services/" >Services<svg class="icon icon-angle-down" aria-hidden="true" role="img" > <use href="#icon-angle-down" xlink:href="#icon-angle-down" ></use> </svg></a>
```

```
6 <a href="http://saintjeandechevelu.fr/category/tourisme/" >Tourisme<svg class="icon icon-angle-down" aria-hidden="true" role="img" > <use href="#icon-angle-down" xlink:href="#icon-angle-down" ></use> </svg></a>
```

```
7 <a href="https://saintjeandechevelu.fr/archives/" >Archives<svg class="icon icon-angle-down" aria-hidden="true" role="img" > <use href="#icon-angle-down" xlink:href="#icon-angle-down" ></use> </svg></a>
```

#	Element	Relevant	Successes	Failures	Score
18	Images should have an alternative text description that describes both the objects and the embedded text that the image contains, using the "alt" attribute.	Yes	3	4	43

Code snapshots of successful elements

```
1 
```

```
2 
```

```
3 
```

Code snapshots of failed elements

```
1 
```

```
2 
```

```
3 
```

```
4 
```

#	Element	Relevant	Successes	Failures	Score
19	Background images that are not just for decoration purposes should have the same treatment as standard images. They should include a role="img" attribute and an alternative text description using an "aria-label" attribute.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
20	Font icons, SVGs, or images used as spacers, decorations, or when their purpose is already described by other content, should include a role="presentation" or role="none" attribute.	Yes	29	3	91

Code snapshots of successful elements

```
1 <span class="svg-fallback icon-angle-down" ></span>
```

```
2 <span class="OYPEnA text-decoration-none text-strikethrough-none" ><br > </span>
```

```
3 <span class="wpfm-icon-block"> <i class="fa fa-umbrella" aria-hidden="true"></i></span>
```

```
4 <i class="fa fa-umbrella" aria-hidden="true"></i>
```

```
5 <span class="wpfm-icon-block"> <i class="dashicons dashicons-location-alt" aria-hidden="true"></i></span>
```

```
6 <i class="dashicons dashicons-location-alt" aria-hidden="true"></i>
```

```
7 <span class="wpfm-icon-block"> <i class="dashicons dashicons-email" aria-hidden="true"></i></span>
```

```
8 <i class="dashicons dashicons-email" aria-hidden="true"></i>
```

```
9 <i style="font-size: 30px" class="fa fa-universal-access"></i>
```

```
10 <span class="sogo-icon-black_and_white" aria-hidden="true" ></span>
```

Code snapshots of failed elements

```
1 <span class="icon"></span>
```


2 `<svg style="position: absolute; width: 0; height: 0; overflow: hidden;" version="1.1" xmlns="http://www.w3.org/2000/svg" xmlns:xlink="http://www.w3.org/1999/xlink" > <defs > <symbol id="icon-behance" viewBox="0 0 37 32" > <path class="path1" d="M33 6...`

3 `<svg style="position: absolute; width: 0; height: 0; overflow: hidden;" version="1.1" xmlns="http://www.w3.org/2000/svg" > <defs > <symbol id="icon-rss" viewBox="0 0 48 48" > <path d="m14.275 11.989c1.998 0 3.921.259 5.769.775 1.849.517 3.579 1.249 ...`

#	Element	Relevant	Successes	Failures	Score
21	Figure elements used to display images should have a role="none" attribute, and the image itself should provide a description using the "alt" attribute.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
22	Each "area" element within a map tag should have an "alt" attribute that provides an alternative text description, similar to standard images.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
23	Small or hidden tracking pixel images (used for analytics or marketing) should include a role="none" or role="presentation" attribute to exclude them from screen-readers.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
24	Form fields should include either an "aria-label" attribute or an associated "label" element to describe the field's purpose (e.g., email, phone, name).	Yes	Pass	-	100

Code snapshots of successful elements

```
1 <input type="search" id="search-form-6749bd2d79fb8" class="search-field" placeholder="Recherche..." value="" name="s">
```

#	Element	Relevant	Successes	Failures	Score
25	Form elements must have unique IDs to ensure that their corresponding labels provide accurate information.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
26	Required form fields should include aria-required="true" to inform screen-reader users of the field's validation.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
27	The validity status of each form element must be represented using the "aria-invalid" attribute with "true" or "false" values, and should update dynamically as the status changes.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
28	aria-describedby and aria-labelledby attributes should reference the ID of an element that either has a text description or an "aria-label" attribute.	Yes	5	5	50

Code snapshots of successful elements

```
1 <div id="nf-form-1-cont" class="nf-form-cont" aria-live="polite" aria-labelledby="nf-form-title-1" aria-describedby="nf-form-errors-1" role="form" > <span id="nf-form-title-1" class="nf-form-title" > <h3 >Ecrivez-nous</h3> </span> <div class="nf...
```

```
2 <input type="text" value="" class="ninja-forms-field nf-element" id="nf-field-1" name="nf-field-1" aria-invalid="false" aria-describedby="nf-error-1" aria-labelledby="nf-label-field-1" required="" >
```

```
3 <input type="email" value="" class="ninja-forms-field nf-element" id="nf-field-2" name="email" autocomplete="email" aria-invalid="false" aria-describedby="nf-error-2" aria-labelledby="nf-label-field-2" required="" >
```

```
4 <textarea id="nf-field-3" name="nf-field-3" aria-invalid="false" aria-describedby="nf-error-3" class="ninja-forms-field nf-element" aria-labelledby="nf-label-field-3" required="" ></textarea>
```

```
5 <input type="text" value="" class="ninja-forms-field nf-element" maxlength="14" id="nf-field-9" name="nf-field-9" aria-invalid="false" aria-describedby="nf-error-9" aria-labelledby="nf-label-field-9" required="" >
```

Code snapshots of failed elements

```
1 <div id="nf-form-1-cont" class="nf-form-cont" aria-live="polite" aria-labelledby="nf-form-title-1" aria-describedby="nf-form-errors-1" role="form" > <span id="nf-form-title-1" class="nf-form-title" > <h3 >Ecrivez-nous</h3> </span> <div class="nf...
```

```
2 <input type="text" value="" class="ninja-forms-field nf-element" id="nf-field-1" name="nf-field-1" aria-invalid="false" aria-describedby="nf-error-1" aria-labelledby="nf-label-field-1" required="" >
```

```
3 <input type="email" value="" class="ninja-forms-field nf-element" id="nf-field-2" name="email" autocomplete="email" aria-invalid="false" aria-describedby="nf-error-2" aria-labelledby="nf-label-field-2" required="" >
```

```
4 <textarea id="nf-field-3" name="nf-field-3" aria-invalid="false" aria-describedby="nf-error-3" class="ninja-forms-field nf-element" aria-labelledby="nf-label-field-3" required="" ></textarea>
```

```
5 <input type="text" value="" class="ninja-forms-field nf-element" maxlength="14" id="nf-field-9" name="nf-field-9" aria-invalid="false" aria-describedby="nf-error-9" aria-labelledby="nf-label-field-9" required="" >
```

#	Element	Relevant	Successes	Failures	Score
29	All forms should include a submission button built as an <code>input type="submit"</code> or a <code>"button"</code> element, or have a <code>role="button"</code> attribute. The button can be hidden if the form supports submission via the Enter key.	Yes	Pass	-	100

Code snapshots of successful elements

```
1 <form role="search" method="get" class="search-form" action="https://saintjeandechelveu.fr/"> <label for="search-form-6749bd2d79fb8"> <span class="screen-reader-text">Recherche pour :</span> </label> <input type="search" id="search-form-6749bd2...
```

#	Element	Relevant	Successes	Failures	Score
30	Search forms should include a role="search" attribute or be wrapped in an element with this role to indicate a search landmark for screen-readers.	Yes	Pass	-	100

Code snapshots of successful elements

```
1 <form role="search" method="get" class="search-form" action="https://saintje  
andechevelu.fr/"> <label for="search-form-6749bd2d79fb8"> <span class="scree  
n-reader-text">Recherche pour :</span> </label> <input type="search" id="se  
arch-form-6749bd2...
```

#	Element	Relevant	Successes	Failures	Score
31	The title tag in the head section should be present and describe the current webpage accurately. This title appears in the browser tab, search engine results, and helps screen-reader users understand the page's content.	Yes	Pass	-	100

Code snapshots of successful elements

```
1 <title>Conseils Municipaux - SAINT JEAN DE CHEVELU</title>
```

#	Element	Relevant	Successes	Failures	Score
32	The HTML tag should include a "lang" attribute representing the main language of the webpage to help screen-readers provide accurate pronunciation.	Yes	Pass	-	100

Code snapshots of successful elements

```
1 <html lang="fr-FR" class="js svg background-fixed"><head> <meta charset="UTF-8"> <meta name="viewport" content="width=device-width, initial-scale=1"> <style data-tippy-style="tip">.tippy-box[data-animation=fade][data-state=hidden]{opacity:0}[data-t...
```

#	Element	Relevant	Successes	Failures	Score
33	The viewport meta tag should enable vision-impaired users to pinch-zoom to at least twice the standard size by including user-scalable="yes" and maximum-scale=2 (or higher) in the content attribute.	Yes	Pass	-	100

Code snapshots of successful elements

```
1 <meta name="viewport" content="width=device-width, initial-scale=1">
```

#	Element	Relevant	Successes	Failures	Score
34	Landmarks like main content and footer should use their corresponding HTML5 elements (<main>, <footer>) or include an "aria-label" and "role" attribute (e.g., role="main" or role="contentinfo"). Landmarks like search and navigation are covered elsewhere.	Yes	3	0	100

Code snapshots of successful elements

```
1 <main id="main" class="site-main" role="main"> <article id="post-1144" class="post-1144 page type-page status-publish hentry"> <header class="entry-header"> <h1 class="entry-title">Conseils Municipaux</h1> </header><!-- .entry-header --> <...>
```

```
2 <footer id="colophon" class="site-footer" role="contentinfo"> <div class="wrap"> <aside class="widget-area" role="complementary" aria-label="Pied de page"> <div class="widget-column footer-widget-1"> <section id="nav_menu-0" class=...
```


#	Element	Relevant	Successes	Failures	Score
35	Font sizes should be at least 11px to ensure readability across most font families. This requirement should also be verified when using dynamic units like REM or percentages.	Yes	0	3	0

Code snapshots of failed elements

```
1 <span class="tooltip wpfm-tootltip-title">Météo chez nous</span>
```

```
2 <span class="tooltip wpfm-tootltip-title">Géolocalisation</span>
```

```
3 <span class="tooltip wpfm-tootltip-title">Nous écrire</span>
```

#	Element	Relevant	Successes	Failures	Score
36	Letter spacing should not be set below -1px to maintain readability across most font families. This should also be verified when using dynamic units like REM or percentages.	Yes	Pass	-	100

#	Element	Relevant	Successes	Failures	Score
37	Text elements should meet a minimum contrast ratio of 4.5:1 between the foreground (text color) and the background.	Yes	45	18	71

Code snapshots of successful elements

1 `Facebook`

2 `<h2 class="widget-title">ACCESSILITE</h2>`

3 `<p>en cours</p>`

4 `<p>Site NON CONFORME conformément à l'<a class="none" title="Accéder à la totalité de l'article 47 de la loi n° 2005-102 du 11 février 2005[nouvel onglet]" href="https://www.legifrance.gouv.fr/loda/article_lc/LEGIARTI000037388867/" t...`

5 `NON CONFORME`

6 `article 47 de la loi n° ...`

7 `https://saintjeandechevelu.fr/accessibilite/`

8 `<h2 class="widget-title">DATES DE MISE A JOUR</h2>`

9 `<p>28 novembre
 flash info décembre</p>`

10 `28 novembre`

Code snapshots of failed elements

- 1

```
<a href="https://saintjeandechévelu.fr/" rel="home" >SAINT JEAN DE CHEVELU</a>
```
- 2

```
<p class="site-description">"Sous l'oeil du Chat"</p>
```
- 3

```
<a href="http://saintjeandechévelu.fr" >Accueil</a>
```
- 4

```
<a href="https://saintjeandechévelu.fr/category/actualites/" >Actualités<svg class="icon icon-angle-down" aria-hidden="true" role="img" > <use href="#icon-angle-down" xlink:href="#icon-angle-down" ></use> </svg></a>
```
- 5

```
<a href="http://saintjeandechévelu.fr/category/commune/" >Commune<svg class="icon icon-angle-down" aria-hidden="true" role="img" > <use href="#icon-angle-down" xlink:href="#icon-angle-down" ></use> </svg></a>
```
- 6

```
<a href="http://saintjeandechévelu.fr/category/vie-communale/" >Vie communale<svg class="icon icon-angle-down" aria-hidden="true" role="img" > <use href="#icon-angle-down" xlink:href="#icon-angle-down" ></use> </svg></a>
```
- 7

```
<a href="http://saintjeandechévelu.fr/category/communaute-de-communes-de-yenne/" >Communauté de communes de Yenne<svg class="icon icon-angle-down" aria-hidden="true" role="img" > <use href="#icon-angle-down" xlink:href="#icon-angle-down" ></use> </sv...>
```
- 8

```
<a href="http://saintjeandechévelu.fr/category/services/" >Services<svg class="icon icon-angle-down" aria-hidden="true" role="img" > <use href="#icon-angle-down" xlink:href="#icon-angle-down" ></use> </svg></a>
```
- 9

```
<a href="http://saintjeandechévelu.fr/category/tourisme/" >Tourisme<svg class="icon icon-angle-down" aria-hidden="true" role="img" > <use href="#icon-angle-down" xlink:href="#icon-angle-down" ></use> </svg></a>
```
- 10

```
<a href="https://saintjeandechévelu.fr/droits-et-demarches/" >Liens utiles</a>
```

#	Element	Relevant	Successes	Failures	Score
38	Carousels should include an "aria-label" attribute (e.g., carousel or slider) to indicate their functionality. They should also be marked as a landmark for screen-readers with a role="contentinfo" attribute.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
39	Control elements such as next and previous icons should include an "aria-label" attribute or a screen-reader only text that explains the functionality to screen-readers.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
40	A common accessibility mistake is treating carousels as live regions using the "aria-live attribute" with "polite" or "assertive" values. This can cause screen readers to cut off or skip important announcements.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
41	Carousel pagination items (usually used as small dots at the bottom of the carousel) should indicate their functionality and slide number they control using an "aria-label" and a screen-reader only text.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
42	Tables used for layout purposes should include a role="presentation" attribute to indicate to screen-readers that it is not a data table.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
43	If nested tables are used (a table element within a table cell), set the nested tables "role" attribute to "presentation".	No	0	0	

#	Element	Relevant	Successes	Failures	Score
44	Tables without a thead row containing th elements should use the role="rowheader" attribute on td elements in the tr that visually represent the table headings.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
45	Visually deleted texts (e.g., a previous price on sale items) should include an "aria-label" attribute or a screen-reader only text to indicate that it is deleted.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
46	The main element of breadcrumbs should include a role="navigation" attribute and an "aria-label" to describe its functionality.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
47	Ratings/scores that are represented visually using stars, meters or other indicators should either have an "aria-label" attribute or a screen-reader only texts conveying the score/rate.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
48	An accessibility interface allows visually-impaired users to adjust UI elements like font size, colors, and spacing to suit their needs. While not a compliance requirement, it can help improve accessibility compliance.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
49	Iframe elements should include a "title" or "aria-label" attribute that explains their purpose, functionality, or destination. If irrelevant, they should be hidden from screen readers.	No	0	0	